


Mathe: Einmaleinstraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$5 \cdot 6 = \underline{\quad}$

$1 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$3 \cdot 6 = \underline{\quad}$

$10 \cdot 6 = \underline{\quad}$

$7 \cdot 6 = \underline{\quad}$

$6 \cdot 6 = \underline{\quad}$

$9 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$8 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$1 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$9 \cdot 6 = \underline{\quad}$

$5 \cdot 6 = \underline{\quad}$

$6 \cdot 6 = \underline{\quad}$

$1 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$10 \cdot 6 = \underline{\quad}$

$9 \cdot 6 = \underline{\quad}$

$7 \cdot 6 = \underline{\quad}$

$8 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$3 \cdot 6 = \underline{\quad}$

$5 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$3 \cdot 6 = \underline{\quad}$

$5 \cdot 6 = \underline{\quad}$

$9 \cdot 6 = \underline{\quad}$

$8 \cdot 6 = \underline{\quad}$

$1 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$3 \cdot 6 = \underline{\quad}$

$8 \cdot 6 = \underline{\quad}$

$9 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$

$6 \cdot 6 = \underline{\quad}$

$1 \cdot 6 = \underline{\quad}$

$7 \cdot 6 = \underline{\quad}$

$5 \cdot 6 = \underline{\quad}$

$10 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$

$5 \cdot 6 = \underline{\quad}$

$2 \cdot 6 = \underline{\quad}$



$9 \cdot 6 = \underline{\quad}$

$4 \cdot 6 = \underline{\quad}$


$10 \cdot 6 = \underline{\quad}$

$10 \cdot 6 = \underline{\quad}$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinstraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

___ · 6 = 24

___ · 6 = 6

___ · 6 = 42

___ · 6 = 54

___ · 6 = 48

___ · 6 = 30

___ · 6 = 18

___ · 6 = 60

___ · 6 = 36

___ · 6 = 12

___ · 6 = 60

___ · 6 = 30

___ · 6 = 42

___ · 6 = 60

___ · 6 = 36

___ · 6 = 36

___ · 6 = 42

___ · 6 = 42

___ · 6 = 24

___ · 6 = 42

___ · 6 = 12

___ · 6 = 48

___ · 6 = 60

___ · 6 = 18

___ · 6 = 6

___ · 6 = 36

___ · 6 = 30

___ · 6 = 54

___ · 6 = 54

___ · 6 = 60

___ · 6 = 12

___ · 6 = 18

___ · 6 = 60

___ · 6 = 6

___ · 6 = 12

___ · 6 = 18

___ · 6 = 36

___ · 6 = 24

___ · 6 = 30

___ · 6 = 60

___ · 6 = 54

___ · 6 = 12

___ · 6 = 42

___ · 6 = 48

___ · 6 = 6

___ · 6 = 18

___ · 6 = 54

___ · 6 = 54

___ · 6 = 12

___ · 6 = 36



___ · 6 = 6

___ · 6 = 48


___ · 6 = 60

___ · 6 = 36

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinstraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$4 \cdot _ = 24$

$2 \cdot _ = 12$

$3 \cdot _ = 18$

$8 \cdot _ = 48$

$1 \cdot _ = 6$

$6 \cdot _ = 36$

$9 \cdot _ = 54$

$7 \cdot _ = 42$

$5 \cdot _ = 30$

$10 \cdot _ = 60$

$9 \cdot _ = 54$

$2 \cdot _ = 12$

$6 \cdot _ = 36$

$6 \cdot _ = 36$

$5 \cdot _ = 30$

$2 \cdot _ = 12$

$1 \cdot _ = 6$

$9 \cdot _ = 54$

$2 \cdot _ = 12$

$7 \cdot _ = 42$

$6 \cdot _ = 36$

$8 \cdot _ = 48$

$5 \cdot _ = 30$

$9 \cdot _ = 54$

$3 \cdot _ = 18$

$1 \cdot _ = 6$

$4 \cdot _ = 24$

$10 \cdot _ = 60$

$2 \cdot _ = 12$

$6 \cdot _ = 36$

$3 \cdot _ = 18$

$2 \cdot _ = 12$

$3 \cdot _ = 18$

$5 \cdot _ = 30$

$4 \cdot _ = 24$

$2 \cdot _ = 12$

$2 \cdot _ = 12$

$8 \cdot _ = 48$

$3 \cdot _ = 18$

$1 \cdot _ = 6$

$6 \cdot _ = 36$

$10 \cdot _ = 60$

$9 \cdot _ = 54$

$5 \cdot _ = 30$

$7 \cdot _ = 42$

$4 \cdot _ = 24$

$6 \cdot _ = 36$

$10 \cdot _ = 60$

$1 \cdot _ = 6$

$8 \cdot _ = 48$



$6 \cdot _ = 36$

$1 \cdot _ = 6$


$4 \cdot _ = 24$

$3 \cdot _ = 18$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinsübung (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$6 \cdot _ = 36$

$7 \cdot 6 = _$

$_ \cdot 6 = 30$

$8 \cdot 6 = _$

$4 \cdot _ = 24$

$1 \cdot 6 = _$

$2 \cdot 6 = _$

$9 \cdot _ = 54$

$_ \cdot 6 = 18$

$_ \cdot 6 = 60$

$_ \cdot 6 = 60$

$9 \cdot _ = 54$

$3 \cdot _ = 18$

$2 \cdot _ = 12$

$1 \cdot 6 = _$

$9 \cdot 6 = _$

$9 \cdot _ = 54$

$10 \cdot 6 = _$

$1 \cdot 6 = _$

$3 \cdot _ = 18$

$9 \cdot _ = 54$

$_ \cdot 6 = 42$

$10 \cdot 6 = _$

$_ \cdot 6 = 30$

$6 \cdot _ = 36$

$4 \cdot 6 = _$

$_ \cdot 6 = 48$

$2 \cdot _ = 12$

$_ \cdot 6 = 12$

$9 \cdot 6 = _$

$_ \cdot 6 = 30$

$_ \cdot 6 = 18$

$10 \cdot _ = 60$

$9 \cdot 6 = _$

$1 \cdot 6 = _$

$9 \cdot 6 = _$

$_ \cdot 6 = 18$

$1 \cdot _ = 6$

$_ \cdot 6 = 12$

$8 \cdot _ = 48$

$10 \cdot 6 = _$

$_ \cdot 6 = 24$

$_ \cdot 6 = 54$

$7 \cdot 6 = _$

$_ \cdot 6 = 30$

$_ \cdot 6 = 36$

$10 \cdot 6 = _$

$5 \cdot 6 = _$

$_ \cdot 6 = 60$

$_ \cdot 6 = 48$



$_ \cdot 6 = 12$

$6 \cdot _ = 36$


$1 \cdot 6 = _$

$_ \cdot 6 = 24$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinstraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$5 \cdot 6 = \underline{30}$

$1 \cdot 6 = \underline{6}$

$2 \cdot 6 = \underline{12}$

$3 \cdot 6 = \underline{18}$

$10 \cdot 6 = \underline{60}$

$7 \cdot 6 = \underline{42}$

$6 \cdot 6 = \underline{36}$

$9 \cdot 6 = \underline{54}$

$4 \cdot 6 = \underline{24}$

$8 \cdot 6 = \underline{48}$

$4 \cdot 6 = \underline{24}$

$4 \cdot 6 = \underline{24}$

$2 \cdot 6 = \underline{12}$

$2 \cdot 6 = \underline{12}$

$1 \cdot 6 = \underline{6}$

$4 \cdot 6 = \underline{24}$

$9 \cdot 6 = \underline{54}$

$5 \cdot 6 = \underline{30}$

$6 \cdot 6 = \underline{36}$

$1 \cdot 6 = \underline{6}$

$4 \cdot 6 = \underline{24}$

$10 \cdot 6 = \underline{60}$

$9 \cdot 6 = \underline{54}$

$7 \cdot 6 = \underline{42}$

$8 \cdot 6 = \underline{48}$

$2 \cdot 6 = \underline{12}$

$3 \cdot 6 = \underline{18}$

$5 \cdot 6 = \underline{30}$

$2 \cdot 6 = \underline{12}$

$3 \cdot 6 = \underline{18}$

$5 \cdot 6 = \underline{30}$

$9 \cdot 6 = \underline{54}$

$8 \cdot 6 = \underline{48}$

$1 \cdot 6 = \underline{6}$

$4 \cdot 6 = \underline{24}$

$4 \cdot 6 = \underline{24}$

$3 \cdot 6 = \underline{18}$

$8 \cdot 6 = \underline{48}$

$9 \cdot 6 = \underline{54}$

$4 \cdot 6 = \underline{24}$

$6 \cdot 6 = \underline{36}$

$1 \cdot 6 = \underline{6}$

$7 \cdot 6 = \underline{42}$

$5 \cdot 6 = \underline{30}$

$10 \cdot 6 = \underline{60}$

$2 \cdot 6 = \underline{12}$

$2 \cdot 6 = \underline{12}$

$2 \cdot 6 = \underline{12}$

$5 \cdot 6 = \underline{30}$

$2 \cdot 6 = \underline{12}$



$9 \cdot 6 = \underline{54}$

$4 \cdot 6 = \underline{24}$


$10 \cdot 6 = \underline{60}$

$10 \cdot 6 = \underline{60}$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinstraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$4 \cdot 6 = 24$

$1 \cdot 6 = 6$

$7 \cdot 6 = 42$

$9 \cdot 6 = 54$

$8 \cdot 6 = 48$

$5 \cdot 6 = 30$

$3 \cdot 6 = 18$

$10 \cdot 6 = 60$

$6 \cdot 6 = 36$

$2 \cdot 6 = 12$

$10 \cdot 6 = 60$

$5 \cdot 6 = 30$

$7 \cdot 6 = 42$

$10 \cdot 6 = 60$

$6 \cdot 6 = 36$

$6 \cdot 6 = 36$

$7 \cdot 6 = 42$

$7 \cdot 6 = 42$

$4 \cdot 6 = 24$

$7 \cdot 6 = 42$

$2 \cdot 6 = 12$

$8 \cdot 6 = 48$

$10 \cdot 6 = 60$

$3 \cdot 6 = 18$

$1 \cdot 6 = 6$

$6 \cdot 6 = 36$

$5 \cdot 6 = 30$

$9 \cdot 6 = 54$

$9 \cdot 6 = 54$

$10 \cdot 6 = 60$

$2 \cdot 6 = 12$

$3 \cdot 6 = 18$

$10 \cdot 6 = 60$

$1 \cdot 6 = 6$

$2 \cdot 6 = 12$

$3 \cdot 6 = 18$

$6 \cdot 6 = 36$

$4 \cdot 6 = 24$

$5 \cdot 6 = 30$

$10 \cdot 6 = 60$

$9 \cdot 6 = 54$

$2 \cdot 6 = 12$

$7 \cdot 6 = 42$

$8 \cdot 6 = 48$

$1 \cdot 6 = 6$

$3 \cdot 6 = 18$

$9 \cdot 6 = 54$

$9 \cdot 6 = 54$

$2 \cdot 6 = 12$

$6 \cdot 6 = 36$



$1 \cdot 6 = 6$

$8 \cdot 6 = 48$


$10 \cdot 6 = 60$

$6 \cdot 6 = 36$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleintraining (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$4 \cdot \underline{6} = 24$

$2 \cdot \underline{6} = 12$

$3 \cdot \underline{6} = 18$

$8 \cdot \underline{6} = 48$

$1 \cdot \underline{6} = 6$

$6 \cdot \underline{6} = 36$

$9 \cdot \underline{6} = 54$

$7 \cdot \underline{6} = 42$

$5 \cdot \underline{6} = 30$

$10 \cdot \underline{6} = 60$

$9 \cdot \underline{6} = 54$

$2 \cdot \underline{6} = 12$

$6 \cdot \underline{6} = 36$

$6 \cdot \underline{6} = 36$

$5 \cdot \underline{6} = 30$

$2 \cdot \underline{6} = 12$

$1 \cdot \underline{6} = 6$

$9 \cdot \underline{6} = 54$

$2 \cdot \underline{6} = 12$

$7 \cdot \underline{6} = 42$

$6 \cdot \underline{6} = 36$

$8 \cdot \underline{6} = 48$

$5 \cdot \underline{6} = 30$

$9 \cdot \underline{6} = 54$

$3 \cdot \underline{6} = 18$

$1 \cdot \underline{6} = 6$

$4 \cdot \underline{6} = 24$

$10 \cdot \underline{6} = 60$

$2 \cdot \underline{6} = 12$

$6 \cdot \underline{6} = 36$

$3 \cdot \underline{6} = 18$

$2 \cdot \underline{6} = 12$

$3 \cdot \underline{6} = 18$

$5 \cdot \underline{6} = 30$

$4 \cdot \underline{6} = 24$

$2 \cdot \underline{6} = 12$

$2 \cdot \underline{6} = 12$

$8 \cdot \underline{6} = 48$

$3 \cdot \underline{6} = 18$

$1 \cdot \underline{6} = 6$

$6 \cdot \underline{6} = 36$

$10 \cdot \underline{6} = 60$

$9 \cdot \underline{6} = 54$

$5 \cdot \underline{6} = 30$

$7 \cdot \underline{6} = 42$

$4 \cdot \underline{6} = 24$

$6 \cdot \underline{6} = 36$

$10 \cdot \underline{6} = 60$

$1 \cdot \underline{6} = 6$

$8 \cdot \underline{6} = 48$



$6 \cdot \underline{6} = 36$

$1 \cdot \underline{6} = 6$


$4 \cdot \underline{6} = 24$

$3 \cdot \underline{6} = 18$

Anzahl richtiger Ergebnisse: _____



Mathe: Einmaleinsübung (6er Reihe)



10 Minuten - Schnelltest Einmaleins

$6 \cdot \underline{6} = 36$

$7 \cdot 6 = \underline{42}$

$\underline{5} \cdot 6 = 30$

$8 \cdot 6 = \underline{48}$

$4 \cdot \underline{6} = 24$

$1 \cdot 6 = \underline{6}$

$2 \cdot 6 = \underline{12}$

$9 \cdot \underline{6} = 54$

$\underline{3} \cdot 6 = 18$

$\underline{10} \cdot 6 = 60$

$\underline{10} \cdot 6 = 60$

$9 \cdot \underline{6} = 54$

$3 \cdot \underline{6} = 18$

$2 \cdot \underline{6} = 12$

$1 \cdot 6 = \underline{6}$

$9 \cdot 6 = \underline{54}$

$9 \cdot \underline{6} = 54$

$10 \cdot 6 = \underline{60}$

$1 \cdot 6 = \underline{6}$

$3 \cdot \underline{6} = 18$

$9 \cdot \underline{6} = 54$

$\underline{7} \cdot 6 = 42$

$10 \cdot 6 = \underline{60}$

$\underline{5} \cdot 6 = 30$

$6 \cdot \underline{6} = 36$

$4 \cdot 6 = \underline{24}$

$\underline{8} \cdot 6 = 48$

$2 \cdot \underline{6} = 12$

$\underline{2} \cdot 6 = 12$

$9 \cdot 6 = \underline{54}$

$\underline{5} \cdot 6 = 30$

$\underline{3} \cdot 6 = 18$

$10 \cdot \underline{6} = 60$

$9 \cdot 6 = \underline{54}$

$1 \cdot 6 = \underline{6}$

$9 \cdot 6 = \underline{54}$

$\underline{3} \cdot 6 = 18$

$1 \cdot \underline{6} = 6$

$\underline{2} \cdot 6 = 12$

$8 \cdot \underline{6} = 48$

$10 \cdot 6 = \underline{60}$

$\underline{4} \cdot 6 = 24$

$\underline{9} \cdot 6 = 54$

$7 \cdot 6 = \underline{42}$

$\underline{5} \cdot 6 = 30$

$\underline{6} \cdot 6 = 36$

$10 \cdot 6 = \underline{60}$

$5 \cdot 6 = \underline{30}$

$\underline{10} \cdot 6 = 60$

$\underline{8} \cdot 6 = 48$

$\underline{2} \cdot 6 = 12$

$6 \cdot \underline{6} = 36$

$1 \cdot 6 = \underline{6}$

$\underline{4} \cdot 6 = 24$

Anzahl richtiger Ergebnisse: _____

